

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	661	((380/201) or (380/37) or (380/228) or (380/229)).CCLS.	USPAT; IBM_TDB	OR	OFF	2005/08/15 13:23
L2	581	L1 AND (encrypt\$4 enciph\$8 cipher\$8 encod\$3)	USPAT; IBM_TDB	OR	OFF	2005/08/15 13:24
L3	497	l2 and key\$1	USPAT; IBM_TDB	OR	OFF	2005/08/15 13:29
L4	7147	key\$1 near3 (block\$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 13:25
L6	19975	(decrypt\$4 decipher\$8 decod\$3) near3 (second (second\$3 near key\$1) (slave near key\$1) (another near key\$1))	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:02
L7	27382	(decrypt\$4 decipher\$8 decod\$3) near3 (first blocks (first near key\$1) (initial near key\$1) (master near key\$1) (primary near key\$1) (main near key\$1))	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:03
L8	42	l3 and l4 and l6 and l7	USPAT; IBM_TDB	OR	OFF	2005/08/15 13:40
L9	3	l8 and dumm\$3	USPAT; IBM_TDB	OR	OFF	2005/08/15 13:29
L10	330	l4 and l6 and l7	USPAT; IBM_TDB	OR	OFF	2005/08/15 13:40
L11	341	(decrypt\$4 decipher\$8 decod\$3) near3 (dummy)	USPAT; IBM_TDB	OR	OFF	2005/08/15 13:45
L12	1	l10 and l11	USPAT; IBM_TDB	OR	OFF	2005/08/15 13:40
L13	11963	(decrypt\$4 decipher\$8 decod\$3) near3 (program\$3 software\$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:01
L14	18553	(decrypt\$4 decipher\$8 decod\$3) near3 (block\$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:02
L15	2559	l13 and l14	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:02
L16	621	(decrypt\$4 decipher\$8 decod\$3) near3 ((cipher near key\$1) (first near key\$1) (initial near key\$1) (master near key\$1) (primary near key\$1) (main near key\$1))	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:05
L17	6891	(decrypt\$4 decipher\$8 decod\$3 cipher\$1) near2 (key\$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:07
L18	22400	(second another slave next) near3 (key\$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:40
L19	62	l15 and l16	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:15

L20	345	(decrypt\$4 decipher\$8 decod\$3) near3 (dummy decoy\$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:15
L21	2	l19 and l20	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:08
L22	184	l15 and l17 and l18	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:15
L23	631	(decrypt\$4 decipher\$8 decod\$3) near6 (dummy decoy\$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:15
L26	6	l22 and l23	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:20
L27	143677	(analy\$8 determin\$6 evaluat\$4 problem\$6) near3 (program\$3 software\$1 application\$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:26
L28	1536	(dummy (no\$1 near function\$3) (non-function\$3) stub\$1) near2 (block\$1 decrypt\$4 decipher\$8 decod\$3)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:39
L29	163	l27 and l28	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:39
L30	10	l29 and l17	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:30
L31	2805	(dummy (no\$1 near function\$3) (non-function\$3) stub\$1) near4 (block\$1 decrypt\$4 decipher\$8 decod\$3)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:39
L32	342	l27 and l31	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:40
L33	26100	(second another slave next cipher\$8 decipher\$8 decrypt\$4) near3 (key\$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:40
L34	28	l32 and l33	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:40
L35	18	l34 not l30	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:41

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3283	((713/161) or (713/165) or (713/171) or (713/200) or (713/201) or (713/187)).CCLS.	USPAT; IBM_TDB	OR	OFF	2005/08/15 15:00
L3	1237	(second\$3 another\$1 other\$1) near3 (cipher\$8 encipher\$8 encrypt\$4) near3 key\$1	USPAT; IBM_TDB	OR	OFF	2005/08/15 15:03
L4	287	I2 and I3	USPAT; IBM_TDB	OR	OFF	2005/08/15 15:03
L5	11	I4 and dummy	USPAT; IBM_TDB	OR	OFF	2005/08/15 15:10
L6	68	(decrypt\$4 decipher\$8 decod\$4) near3 (dummy decoy) near3 (data block\$1 unit\$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 15:09
L7	9	I6 and key\$1	USPAT; IBM_TDB	OR	OFF	2005/08/15 15:11
L8	9	I7 and (decrypt\$4 decipher\$8 decod\$4)	USPAT; IBM_TDB	OR	OFF	2005/08/15 15:11